

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1249	(wear\$4 abrasion erosion) near (sensor gauge)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/19 17:31
L2	124	I1 and ((circuit adj board) PCB)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/19 17:16
L3	90	(rogers-da\$).xa.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/19 17:17
L4	13006	((73/7,9,86,866.5) or (324/512,519,522,525,537,754,755,71.1,71.2)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/19 17:20
L5	40	I4 and (wear\$4 abrasion erosion) near (sensor gauge)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/19 17:21
L6	2	("5540448").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/19 17:27
L7	194	(277/919).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/19 17:27
L10	1191	((73/86) or (138/36) or (277/324,919) or (324/700)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/19 17:31
L11	2056	I10 (wear\$4 abrasion erosion) near (sensor gauge)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/19 17:31
L12	12	I10 and (wear\$4 abrasion erosion) near (sensor gauge)	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/19 17:31
S1	18	((("4401941") or ("4642557") or ("4906917") or ("5024755") or ("5207409") or ("5266198") or ("5378991") or ("6510729")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/20 07:23
S2	6	("5024755").URPN.	USPAT	OR	ON	2004/12/16 09:53
S3	3	("5690146").URPN.	USPAT	OR	ON	2004/12/16 09:53
S4	0	("6443016").URPN.	USPAT	OR	ON	2004/12/16 09:54
S5	13	("3080748" "3731786" "3885428" "3958455" "4446892" "4498282" "4812831" "4992778" "5172730" "5228478" "5690146" "5834942").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/16 10:00
S6	77	(garber-c\$4).xa.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/19 17:02
S7	0	(garber-c\$4).pa.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/16 14:45
S8	218	(324/71.2).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/16 10:22
S9	10	("2915305" "3078707" "4092848" "4103539" "4269397" "4646001" "6208128" "6265880").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/16 10:23
S10	8	("3078707").URPN.	USPAT	OR	ON	2004/12/16 10:28
S11	21	("4646001").URPN.	USPAT	OR	ON	2004/12/16 10:29

S12	7	("4780664").URPN.	USPAT	OR	ON	2004/12/16 10:31
S13	4	("5338432").URPN.	USPAT	OR	ON	2004/12/16 10:32
S14	4	("4755744" "4780664" "4994159" "5120421").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/16 10:32
S15	8	("3078707").URPN.	USPAT	OR	ON	2004/12/16 10:33
S16	10	("2915305" "3078707" "4092848" "4103539" "4269397" "4646001" "6208128" "6265880").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/16 10:34
S17	9	("4884434").URPN.	USPAT	OR	ON	2004/12/16 13:30
S18	13	("3981621" "4092053" "4107603" "4143319" "4328462" "4348665" "4509364" "4655077" "4884434" "5015859" "5060307" "5258930" "5389411").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/16 13:35
S19	12778	((73/7,9,86,866.5) or (324/512,519,522,525,537,754,755,71.1,71.2)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/19 17:20
S20	1141	S19 and (werar or wearing or corrosion or corrod\$3 or erod\$4 or erosion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/16 13:36
S21	1844	S19 and (wear\$4 or wearing or corrosion or corrod\$3 or erod\$4 or erosion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/16 13:37
S22	175	S19 and ((wear\$4 or wearing or corrosion or corrod\$3 or erod\$4 or erosion) with sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/16 14:07
S23	7	("3772178" "4200834" "4595487" "4617511" "5184514" "5230248" "5606125").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/16 13:51
S24	0	("5992249").URPN.	USPAT	OR	ON	2004/12/16 13:52
S25	8	("4655077").URPN.	USPAT	OR	ON	2004/12/16 14:00
S26	19945	((wear\$4 or wearing or corrosion or corrod\$3 or erod\$4 or erosion) with (sensor or monitor\$4))\	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/16 14:07
S27	19945	((wear\$4 or wearing or corrosion or corrod\$3 or erod\$4 or erosion) with (sensor or monitor\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/16 14:08
S28	927	S27 and concentric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/16 14:08
S29	106	S27 and (concentric with (electrode\$3 or conductor\$3 or wire\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/16 14:19
S30	289	S27 and (circular with (electrode\$3 or conductor\$3 or wire\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/16 14:19

S31	154	S19 and (circular with (electrode\$3 or conductor\$3 or wire\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/16 14:19
S32	22	(garber-C\$.)xp.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/16 14:46
S33	47	("1561285" "20020127520" "20020172214" "20020191669" "2545281" "3341394" "3502538" "3502763" "3542615" "3789518" "3952584" "4041203" "4257188" "4340563" "4357827" "4720415" "4932919" "5018977" "5066259" "5067924" "5361627" "5397237" "5419729" "5425265" "5492943" "5518436" "5913708" "5979235" "6015935" "6107537" "6152906" "6220088" "6234804" "6298714" "6413142" "6446495" "6464557" "6503525" "6534074" "6543657" "6557398").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/16 14:47
S34	6	("4762742" "4856199" "5199176" "5885690" "6293139" "6645052").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/16 14:50
S35	1493	(grommet or "sealing ring") with conductor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/20 07:24
S36	140	S35 and (erod\$6 or corrod\$4 or corros\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/20 07:25
S37	268	S35 and (wear\$4 or erod\$6 or corrod\$4 or corros\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/20 07:45
S38	1765	("o-ring" or o\$3ring) with conductor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/20 07:45
S39	461	S38 and (wear\$4 or erod\$6 or corrod\$4 or corros\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/20 09:00
S40	0	("6831229").URPN.	USPAT	OR	ON	2004/12/20 07:52
S41	4	("4825395" "4960256" "5594619" "6266241").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/20 07:52
S42	751	bushing and ((wear\$4 or erod\$6 or corrod\$4 or corros\$4) with (sensor or sensing or detect\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/20 09:01
S43	772	bushing and ((wear\$4 or erosion or erroson or erod\$6 or corrod\$4 or corros\$4) with (sensor or sensing or detect\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/20 09:04
S44	2	("6082982").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/20 09:04

S45	2	("6080982").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/20 09:04
S46	0	("6615639").URPN.	USPAT	OR	ON	2004/12/20 09:57
S47	9	("3556258" "3716113" "4184145" "4832160" "5111178" "5419415" "5608376" "5934415").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/20 10:11
S48	2	("5785323").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/20 10:11
S49	0	("5785323").URPN.	USPAT	OR	ON	2004/12/20 10:13
S50	6	("4184145" "4832160" "4833440" "4936197" "5111178" "5540448").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/20 10:14
S51	2	("5246235").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/20 10:14
S52	6	("5246235").URPN.	USPAT	OR	ON	2004/12/20 10:14
S53	2	("5865971").URPN.	USPAT	OR	ON	2004/12/20 10:16
S54	10	("3094337" "3788654" "4090029" "4453723" "4779903" "5090871" "5121929" "5246235" "5248080").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/20 10:16
S55	9	("3358257" "3783173" "4066023" "4072316" "4734034" "4817969" "4856993" "5035637").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/20 10:17
S56	6	("6003872").URPN.	USPAT	OR	ON	2004/12/20 10:19
S57	2	("5540448" "6003872").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/20 10:20
S58	0	("6595523").URPN.	USPAT	OR	ON	2004/12/20 10:20
S59	6	("6003872").URPN.	USPAT	OR	ON	2004/12/20 10:20
S60	8	("5026178" "5121929" "5246235" "5310266" "5345829" "5448924" "5529346" "5594334").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/20 10:20
S61	20	("5121929").URPN.	USPAT	OR	ON	2004/12/20 10:23
S62	11	("5581019").URPN.	USPAT	OR	ON	2004/12/20 10:25
S63	24	("3358257" "3783173" "3854736" "4042747" "4070219" "4082893" "4145317" "4163204" "4234535" "4569634" "4715235" "4734034" "4781535" "4794366" "4801484" "4856993" "4874549" "4966155" "4969105" "4971638" "5112664" "5121929" "5421195").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/20 10:26
S64	252	(rubber adj seal) with (erod\$4 or eros\$4 or wear\$4 or corrod\$4 or corros\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/20 13:12
S65	26	(pipeline with gasket) with (erod\$4 or eros\$4 or wear\$4 or corrod\$4 or corros\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/20 13:16
S66	1253	(flange with seal) with (erod\$4 or eros\$4 or wear\$4 or corrod\$4 or corros\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/20 13:17

S67	29	S66 and pipeline	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/20 13:17
S68	3	pipeline with wear\$4 with monitor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/20 13:34
S69	0	hydrocyclone with wear\$4 with monitor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/20 13:35
S70	0	(hydrocyclone) and (wear\$4 with monitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/20 13:35
S71	0	(\$6cyclone) and (wear\$4 with monitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/20 13:35
S72	6	(\$6cyclone) and (wear\$4 with monitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/20 13:37
S73	2	gasket with (wear\$4 with monitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/20 13:38
S74	1	o\$3ring with (wear\$4 with monitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/20 13:39
S75	40	seal with (wear\$4 with monitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/20 13:52
S76	17	(\$6urethane adj seal) with (erod\$4 or eros\$4 or wear\$4 or corrod\$4 or corros\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/20 13:51
S77	0	(\$6urethane adj gasket) with (erod\$4 or eros\$4 or wear\$4 or corrod\$4 or corros\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/20 13:51
S78	2	gasket with (wear\$4 with monitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/20 13:52
S79	1	o\$3ring with (wear\$4 with monitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/20 13:53

S80	1	o\$3ring with (degrad\$6 with monitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/20 13:56
S81	2	gasket with (degrad\$6 with monitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/20 13:55
S82	7	seal with (degrad\$6 with monitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/20 13:55
S83	1	o\$3ring with ((erros\$4 or eros\$4 or erod\$\$) with monitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/20 13:58
S84	1	seal with ((erros\$4 or eros\$4 or erod\$\$) with monitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/20 13:59
S85	4	("3,842,792").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/20 13:59
S86	8	("3842792").URPN.	USPAT	OR	ON	2004/12/20 13:59
S87	19	slurry with abrad\$4 with seal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/21 05:56
S88	2	("20040040715").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/21 05:56
S89	2461	urethane with seal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/21 08:48
S90	1	urethane with oring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/21 08:48
S91	181	urethane with o\$3ring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2004/12/21 08:48
S92	2	("4655077").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/21 09:34